10

15

20

25

METHOD AND APPARATUS FOR MATCHING PETS TO APPROPRIATE PET PRODUCTS AND SUPPLIES

BACKGROUND OF THE INVENTION

Field of the Invention

The invention is a method and apparatus allowing a consumer to select Pet products and supplies appropriate for a specific breed of domestic pet.

Description of the Related Art

Domestic pets of all sizes and activity levels require safe and suitable products in their daily lives. Appropriate Pet products and supplies can help to satisfy both a pet's maintenance needs and their exercise, amusement, and socialization requirements.

Many pet owners become deeply attached to their pets, and are willing to spend considerable money providing for their maintenance and care. The industry serving these pet owners is large and diverse. A significant portion of the pet industry is devoted to manufacturing supplies to maintain, nurture, amuse and occupy pets.

The diversity of Pet products and supplies for pets available on the market is matched only by the diversity of the animals themselves. Pets differ in size, personality, and exercise requirements. Products appropriate for one pet may be entirely inappropriate for another pet. The prior art provides no guidance to the pet owner as to which products are appropriate for the owner's pet. An inappropriate pet product cannot be properly used by the animal and is a waste of money for the pet owner. At worst, an inappropriate pet product can present a

hazard to the pet, such as an increased likelihood of the animal ingesting and choking on or experiencing intestinal blockage from the product.

The prior art does not teach a systematic classification system to assist the pet owner in determining whether a particular pet product is appropriate for the owner's pet.

10

15

20

SUMMARY OF THE INVENTION

The present invention provides systematic classification systems of pets and pet products to allow a pet owner to make an appropriate selection for the owner's pet.

In the present invention, indicia are assigned to a breed of pet. The indicia comprise one or more marks or designations that serve to differentiate one breed of animal from another, such as numbers, letters, words, symbols, colors, sounds, odors, any combination of the foregoing, or any other means of differentiation. In the preferred embodiment, the indicia comprise a "breed code" consisting of a single numeral.

Many different methods can be used to assign a breed code to a particular breed. For dogs, one method is based on an evaluation of the weight of the typical adult of the breed and based on the degree of activity or activity level of the breed. Other factors also may be considered, such as the group to which a dog belongs, the dog's weight and height, size and shape of the dog's jaw and many other possible factors. For purposes of this application, a "group" is a classification of dog breeds based on the purposes for which the breeds originally were developed. For cats, one method for assigning the breed code is based on the temperament and need for attention of the particular breed of cat. A single breed code may apply to several breeds of pets.

A pet product is evaluated to determine for what breed codes it would be appropriate. The evaluation of the product may be based on the experience of the manufacturer or others, or may be empirical, as by exposing the product to

10

animals categorized within the various breed codes to determine by which animals the product is accepted. The breed code for each breed is then published, as is the list of appropriate breed codes for the product. The pet owner may thereby learn the breed code applicable to his or her particular pet and may choose a product from those Pet products and supplies having an identical breed code. The pet owner thereby may select a product knowing that there is an increased likelihood that the product will be safe, suitable, and useable by the owner's pet.

The breed codes appropriate to a particular product may be published by placing the breed codes on the packaging of the individual pet product, on the pet product itself, or in any other location convenient to the pet owner.

BRIEF DESCRIPTION OF THE DRAWINGS

- Fig. 1 is a product attached to retail display packaging.
- Fig. 2 is a retail display with breed code information.
- Fig. 3 is a product marked with a breed code.
- 5 Fig. 4 illustrates a computer network implementing the present invention.
 - Fig. 5 is a flow chart for one method of determining breed code for dogs.

10

15

20

DESCRIPTION OF THE PREFERRED EMBODIMENT

Indicia are assigned to a breed of pet, such a breed of dog or cat. In the preferred embodiment, the indicia comprise a numerical breed code. Pet products and supplies are categorized to determine for what pets having a breed code a product having an identical breed code is appropriate. Finally, the breed code assigned to a particular breed and list of Pet products and supplies categorized by breed code are published. Publication of the breed codes and publication of the list of Pet products and supplies categorized by breed code informs a pet owner as to whether a particular product is appropriate for a particular pet.

As shown by Figs. 1 the publication of the breed code categories 2 for which a product is appropriate need not appear as a list and may appear on the container or packaging 4 of a product 6. As shown by Fig. 2, the publication of the breed code categories 2 may be in the form of labeling, advertising, or any other means 8 in the proximity of a product 6. The publication of the breed code categories 2 may appear on the product itself 6 Fig. 3, as by printing, embossing or creation of a raised pattern. Also as shown by Fig. 3, a single product 6 may be suitable for pets belonging to several breed codes 2.

Publication of the breed codes and publication of the list of pet products and supplies categorized by breed code may be implemented by computer or other communication device. As shown by Fig. 4, a user instructs a client computer 10 to request information from a server computer 14. The client computer 10 sends the request through a computer network 12, which may be

10

15

20

the Internet. The server computer 14 receives the request. The server computer 14 transmits information through the computer network 12 to the client computer 10, where a display 16 exhibits the information to the user. The information transmitted by the server computer 14 to the client computer 10 may comprise the identification of a product 6 and publication of the breed codes categories 2 for which the product 6 is appropriate.

For the purposes of this application, a client computer 10 is any device capable of requesting information over a computer network 12 and displaying 16 received information to the user. For the purposes of this application, a server computer 14 is any device capable of delivering information to a client computer 10 over a computer network 12.

Any suitable method may be used to assign indicia to a breed of pet.

Dogs and cats can be categorized in any of many possible ways, including without limitation: age of the animal, dimensions of various features of the animal, weight of the animal, bone structure, the size of the jaw, chewing temperament, athleticism, exercise needs, group, breed, personality characteristics, taste and odor preferences, and any other factors that assist in predicting behavior and preferences. Any such categorization is contemplated by this application. Although the present method assigns a single breed code to all pets of that breed, it is contemplated that multiple indicia could be assigned to pets of the same breed based on weight, age or other characteristics or for the purpose of matching the breed with Pet products and supplies of different types,

10

15

20

such as chewing Pet products and supplies and fetching Pet products and supplies.

The indicia may comprise a breed code assigned to a breed and an identical breed code used to designate an appropriate product. The indicia assigned to the breed and the product may not be identical, but may correspond one to another; as, for example and without limitation, a first color assigned to a breed and a second color assigned to Pet products and supplies appropriate for pets of that breed.

For the purposes of this application, a "breed" of pet, such as a dog or cat, is a relatively homogenous group of animals identified by experts. Pets of a particular breed, such as breeds of dog recognized by the American Kennel Club, share characteristics of weight, jaw size and shape, activity level and personality characteristics. The breed of a dog provides a reasonable estimation of the needs of that dog. A pet product appropriate to one dog of a particular breed likely will be appropriate to most dogs of the same breed.

The starting point for the determination of breed codes for dogs is identifying the breed and determining the weight and exercise requirements of each breed of dog. The "breeds" of dog are those recognized by the American Kennel Club. The weight of each breed is the ideal weight of an adult dog of the breed as published by the American Kennel Club. The exercise requirement is based on information obtained from published sources; namely the Encyclopedia of Dogs by D. Caroline Coile, Ph.D., published by Barron's, ISBN 0-7641-5097-0, and is based on the activity expected from typical dogs of each breed.

An exercise factor is derived for each breed of dogs, as shown by Table 1.

The exercise requirement is an assigned value of 1 through 5, with one being a very low exercise requirement and five being a very high exercise requirement.

The exercise factor is derived from the exercise requirement.

5

10

Exercise Requirement	Exercise Factor
0-1	1
2-5	2

Table 1.

A weight factor is derived based on the ideal weight for an adult dog of the breed as shown in Table 2. As an example and as shown on Table 2, a breed of dog with an ideal adult weight of 10 pounds is assigned a weight factor of 0.

Weight	Weight
in lbs.	Factor
0-10	0
11-16	2
17-35	3
36-45	4
46-70	5
71-80	6
81 and above	7

Table 2.

To calculate the breed code for a breed of dog, the exercise factor for that breed is added to the weight factor for the breed. The sum is the breed code.

Fig. 5 is a flow chart showing the calculation of breed codes by summing the exercise factor and the weight factor. Table 3 below is the result of the summation of exercise factor and weight factor for several breeds of dogs recognized by the American Kennel Club. Included in Table 3 are the breed,

group name, weight, activity requirement, exercise factor, weight factor and resulting breed code. The breeds are grouped in the table by breed code.

Table 3: Breed Code Determination

	lable	3: Breed	Code Determination	on		
5	Breed	Group	WeightExer	cise	Exercise Factor	Weight Factor
1	Breed Code: 1					
	Chihuahua	Тоу	5	1	1	0
	Coton De Tulear	Toy	8	1	1	0
	English Toy Spaniel	Toy	10	1	1	0
0	Japanese Chin	Toy	5	1	1	0
	Maltese	Toy	5	1	1	0
	Papillon	Toy	10	1	1	0
	Pekingese	Toy	10	1	1	0
	Pomeranian	Тоу	5	1	1	0
.5	Breed Code: 2					
	Affenpinscher	Toy	9	3	2	0
	American Eskimo Toy	Non-Sporting	8	3	2	0
	Bichon Frise	Non-Sporting	10	2	2	C
	Brussels Griffon	Toy	9	2	2	C
0	Chinese Crested	Toy	8	2	2	C
	Dachshund Mini & Toy	Toy	10	2	2	C
	Fox Terrier -Toy	Toy	5	3	2	C
	Manchester Terrier Toy	Toy	8	2	2	C
	Miniature Pinscher	Toy	9	2	2	C
5	Schipperke mini	Toy	10	3	2	C
	Silky Terrier	Toy	10	2	2	(
	Toy Poodle	Toy	6	2	2	C
	Yorkshire Terrier	Тоу	7	2	2	(
	Breed Code: 3					
0	Lhasa Apso	Non-Sporting	14	1	1	2
	Lowchen	Non-Sporting	15	1	1	2
	Pug	Toy	16	1	1	2
	Shih Tzu	Toy	13	1	1	2
	Breed Code: 4					
5	American Eskimo Mini	Non-Sporting	15	3	2	2
	Australian Terrier	Terrier	12	3	2	2
	Border Terrier	Terrier	15	3	2	2
	Boston Terrier	Non-Sporting	20	1	1	3
	Bulldog French *special need	Non-Sporting	25	1	1	3

			Weight		Exercise	Weight
	Breed	Group	Exerc	ise	Factor	Factor
	Breed Code: 4					
_	Cairn Terrier	Terrier	14	3	2	2 2
5	Cavalier King Charles Spaniel	Toy	15	3	2	
	Havanese *wght	Toy	13	3	2	2 2
	Italian Greyhound	Toy	13	2	2	
	Jack Russell Terrier	Terrier	15	4	2	2 2
	Miniature Schnauzer	Terrier	14	3	2	
10	Norfolk Terrier	Terrier	12	3	2	2 2
	Norwich Terrier	Terrier	12	3	2	
	Poodle mini	Non-Sporting	15	3	2	2
	Schipperke	Non-Sporting	15	3	2	2
	Tibetan Spaniel	Non-Sporting	12	2	2	2
15	Breed Code: 5					
	American Eskimo Dog	Non-Sporting	30	3	2	3
	Basenji	Hound	25	3	2	3
	Basset Hound	Hound	45	1	1	4
	Beagle	Hound	25	3	2	3
20	Bedlington Terrier	Terrier	20	3	2	3
	Bulldog English *special need	Non-Sporting	45	1	1	4
	Cardigan Welsh Corgi	Herding	35	2	2	3
	Cocker Spaniel	Sporting	30	3	2	3
	Dachshund *wght	Hound	30	2	2	3
25	Dandie Dinmont Terrier	Terrier	21	3	2	3
	English Cocker Spaniel	Sporting	35	3	2	3
	Finnish Spitz	Non-Sporting	30	3	2	3
	Fox TerrierSmooth&Wire	Terrier	20	3	2	3
	Foxhound American	Hound	24	4	2	3
30	Irish Terrier	Terrier	25	3	2	3
	Lakeland Terrier	Terrier	20	3	2	3
	Manchester Terrier terrier	Terrier	22	3	2	3
	Miniature Bull Terrier	Terrier	29	3	2	3
	Pembroke Welsh Corgi	Herding	25	3	2	3
35	Petit Basset Griffon Vendeen	Hound	35	3	2	3
	Puli	Herding	30	3	2	3
	Scottish Terrier	Terrier	20	3	2	3
	Sealyham Terrier	Terrier	23	2	2	3
	Shetland Sheepdog	Herding	20	3	2	3
40	Shiba Inu	Non-Sporting	25	3	2	3
	Skye Terrier	Terrier	20	2	2	3
	Soft Coated Wheaten Terrier	Terrier	35	3	2	3
	Staffordshire Bull Terrier	Terrier	35	3	2	3
	Tibetan Terrier	Non-Sporting	25	3	2	3
45	Welsh Terrier	Terrier	35	3	2	3
	West Highland White Terrier	Terrier	20	3	2	3
	Whippet	Hound	30	3	2	3

			Weight	Exercise Weight		ht
	Breed	Group	5	Exercise	Factor	Factor
	Breed Code: 6					
	Airedale Terrier	Terrier	45	3	2	4
5	American Water Spaniel	Sporting	40		2	4
5	Australian Cattle Dog	Herding	40		2	4
	Border Collie	Herding	40		2	4
	Brittany	Sporting	40		2	4
	•	Sporting	45		2	4
10	Field Spaniel	Hound	45		2	4
10	Ibizan Hound Keeshond	Non-Sporting	40		2	4
		Terrier	40		2	4
	Kerry Blue Terrier	Hound	45		2	4
	Norwegian Elkhound Schnauzer Standard	Working	40		2	4
1 -		Sporting	40		2	4
15	Sussex Spaniel	Sporting	45		2	4
	Welsh Springer Spaniel	Sporting	40	, 0	-	,
	Breed Code: 7					
	Afghan Hound	Hound	60) 3	2	5
	American Staffordshire	Terrier	60	3	2	5
20	Australian Shepherd	Herding	50	5	2	5
	Bearded Collie	Herding	50) 4	2	5
	Belgian Malinois	Herding	65	5 5	2	5
	Belgian Sheepdog same	Herding	65	5 5	2	5
	Boxer	Working	65	5 3	2	5
25	Bull Terrier	Terrier	55	5 3	2	5
	Canaan Dog	Herding	50) 4	2	5
	Chesapeake Bay Retriever	Sporting	70	3	2	5
	Chinese Shar-pei	Non-Sporting	5	5 3	2	5
	Chow Chow	Non-Sporting	60) 2	2	5
30	Clumber Spaniel	Sporting	60) 2	2	5
	Collie	Herding	6		2	5_
	Curly-Coated Retriever	Sporting	7		2	5
	Dalmatian	Non-Sporting	5:		2	5
	English Setter	Sporting	6		2	5
35	English Springer Spaniel	Sporting	5		2	5
	Flat-Coated Retriever	Sporting	7		2	5
	Foxhound English	Hound	6		2	5
	German Shorthaired Pointer	Sporting	7		2	5
	German Wirehaired Pointer	Sporting	6		2	5 5
40	Golden Retriever	Sporting	7		2 2	5
	Gordon Setter	Sporting	7		2	5
	Greyhound	Hound	6		2	5
	Harrier	Hound	5			
4	Irish Setter	Sporting	5		2 2	5 5
45	Irish Water Spaniel	Sporting		5 3	2	5
	Italian Spinoni	Sporting		0 3 0 3	2	5 5
	Labrador Retriever	Sporting			2	5
	Pharaoh Hound	Hound		5 4 5 3	2	5
50	Plott Hound	Hound	0	ა ა	2	J
50						

			Weight		Exercise	Weight
	Breed	Group	Exer	cise	Factor	Factor
	Breed Code: 7					
	Pointer	Sporting	60	4	2	5
5	Poodle standard	Non-Sporting	50	4	2	5
	Portuguese Water Dog	Working	55	4	2	5
	Saluki	Hound	60	3	2	5
	Samoyed	Working	55	3	2	5
	Siberian Husky	Working	50	4	2	5
10	Vizsla	Sporting	65	3	2	5
	Weimaraner	Sporting	70	5	2	5
	Wirehaired Pointing Griffon	Sporting	60	4	2	5
	Breed Code: 8					
	Alaskan Malamute	Working	80	4	2	6
15	Black and Tan Coonhound	Hound	75	4	2	6
	Doberman Pinscher	Working	80	3	2	6
	Komondor	Working	75	3	2	6
	Old English Sheepdog	Herding	80	3	2	6
	Rhodesian Ridgeback	Hound	80	3	2	6
20	Schnauzer Giant	Working	80	4	2	6
	Breed Code: 9					
	Akita	Working	90	3	2	7
	Anatolian Shepherd	Working	120	3	2	7
	Bernese Mountain Dog	Working	100	2	2	7
25	Bloodhound	Hound	100	3	2	7
	Borzoi	Hound	85	3	2	7
	Bouvier Des Flandres	Herding	85	4	2	7
	Briard	Herding	85	4	2	7
	Bullmastiff	Working	120	2	2	7
30	German Shepherd Dog	Herding	85	4	2	7
	Great Dane	Working	110	3	2	7
	Great Pyrenees	Working	90	3	2	7
	Great Swiss Mountain Dog	Working	110	3	2	7
	Irish Wolfhound	Hound	110	3	2	7
35	Kuvasz	Working	100	4	2	7
	Mastiff	Working	180	2	2	7
	Newfoundland	Working	150	2	2	7
	Otterhound	Hound	90	3	2	7
	Rottweiler	Working	110	3	2	7
40	Saint Bernard	Working	165	2	2	7
	Scottish Deerhound	Hound	90	3	2	7

As illustrated by Table 3, the characteristics of pets of a particular breed are determined in part by the purpose for which a particular breed was originally developed. For dogs, those purposes are divided into seven groups, as follows.

10

15

20

- Dogs of the sporting group were bred for hunting and retrieving.
 Dogs of this group have a keen sense of smell and may be swimmers.
- b. The hound group includes two branches. The sight hounds were bred for sighting and chasing prey. Scent hounds, which tend to be larger dogs, were bred to locate prey by scent.
- c. The working group includes guard dogs, military dogs, pack dogs, life-saving dogs, fighting dogs, police dogs, companion dogs and sled dogs.
 - d. Dogs of the terrier group were bred for hunting prey in burrows.
- e. The Toy group includes dogs bred for size as companion dogs.

 Dogs of this group were derived from the hound, sporting and terrier groups.
- f. The non-sporting group is a catch all for dogs not included in the other groups.
- g. The herding group was bred for assistance in corralling animals and protecting them from predators.

A breed code may be assigned for a breed of cat. A temperament factor is assigned to each breed based on the characteristics of the breed; namely, the activity level of the breed. A cat's need-for-attention factor also is assigned to each breed based on the characteristics of the breed. The need-for-attention of the breed is based on the need of cats in the breed for interaction with humans.

The temperament factor and need-for-attention factor are summed to obtain the breed code for a breed of cat.